

Vape Guardian



The end-to-end solution for vape detection,
drug detection and air quality reporting.

2025

vapeguardian.com

Takes air readings every second

Monitoring

Readings referenced against formulas

Checking

Something detected? An alert is sent

Alerts



The device securely sends air-quality data to the Vape Guardian Cloud, where it's analysed against detection models for vaping, THC and other signals. Readings are then cross-checked against common confounders, like aerosols and cleaning products, to minimise false alarms before alerts are issued.

How It Works

- 1)** Multi-sensor array samples the air every second and pre-filters noise.
- 2)** Readings are encrypted and sent via Wi-Fi / 4G / PoE to the Vape Guardian Cloud.
- 3)** Models compare patterns to vaping/THC/Spice profiles and estimate confidence.
- 4)** Signals are cross-checked against confounders (e.g., aerosols/cleaners) to reduce false alarms.
- 5)** If thresholds are met, an event is created and alerts are routed by room, role, and schedule (app / SMS / email / web).
- 6)** Events feed dashboards and weekly/monthly reports; outcomes improve detection over time.

Detection

VAPING | THC | SPICE | OVER-OCCUPANCY |
NOISE | AIR-QUALITY REPORTS

10 integrated sensors per device for high-accuracy data.



Industry leading accuracy backed by PhD research

THC

Custom alerts

Vaping

>95% accuracy

Spice

Likelihood of presence

Over-Occupancy

Too many people in a confined space

Noise

Sudden loud noises such as screams






Air-Quality Reports

With actionable insights

Alerts

EMAIL | SMS | iOS | ANDROID | WEB-APP | ANDROID TV

Fast, reliable alerts. Delivered your way.

-  Make sure the right people see the right alerts at the right time.
-  Choose the channel: Each staff member receives alerts via their preferred medium.
-  Targeted routing: Assign staff to specific rooms, sensors, or room groups.
-  Smart scheduling: Send alerts only within chosen time windows.
-  Integrations to existing systems such as BMSs and security systems.

Custom alert types for every team member: set who gets what, when, and how.

Vaping Alert

now

Vaping detected in 'Girls Toilet' 'Stall 1' at 11.21am on June 10th 2025

THC Alert

now

THC use detected in 'Girls Toilet' 'Stall 1' at 11.30am on June 11th 2025

Over-Occupancy Alert

now

An unusually high number of people have been detected in 'Girls Toilet' 'Stall 1' at 9.41am on June 11th 2025

"Spice" Alert

now

A high likelihood of Spice use has been detected in 'Girls Toilet' 'Stall 1' at 2.31pm on June 13th

Device Tampering Alert

now



The device 'Stall 1' in 'Girls Toilet' is showing as offline at 2.31pm on June 13th 2025



Pictured are iOS Push Notifications

Software Suite

Work your way
Native apps for macOS and Windows, plus intuitive mobile apps for on-the-go management and use.








iOS & Android apps for quick sensor onboarding, end-to-end system and staff management, and instant alerts - wherever you are.

Access reports and analytics from any browser - no installs required - through the Vape Guardian web app.

Reports

Alerts can pile up fast. Our reporting distils the signal from the noise so you see what matters. And what to do next.

-  **Flexible delivery:**
Delivered daily, weekly, or monthly
-  **At-a-glance summaries:**
Clear overview of alert trends and hotspots
-  **Actionable guidance:**
AI-generated recommendations to tackle issues
-  **Deep dive logs:**
Filter by room, device, time, reading type, and more
-  **Connected context:**
Link alerts with other Building Management System features (e.g., CCTV)

Result: fewer distractions, faster decisions, better outcomes.



Example Report



Total Incidents (last week)

32

19 vaping

13 THC

3 over-occupancy

Response Rate

15.6%

5 incidents were marked as attended

Hotspot Insight

Peak Risk

Girls' Bathroom, Second Floor


Highest activity window: 13:00-14:00
on Tuesday

Reccomendation

Assign a staff member to the Girls' Bathroom on the Second Floor between 13:00-14:00 next Tueaday.

This time bound presence is predicted to deliver the greatest reduction in incidents with the least staffing impact

AQI AIR QUALITY INDEX



Powered Over Ethernet Smart Sensor

POE + WiFi / Mains Backup

Primary Ethernet connectivity with IEEE 802.3af PoE (12V adapter fallback) and robust 2.4 GHz Wi-Fi backup.

Rock-solid uptime

PoE ensures stable power (UPS-ready at the switch) for continuous monitoring and instant alerts.

Detects

vaping, THC, Spice, over-occupancy, and loud noises; alerts via SMS, email, mobile app, or web app.

Air-quality insights

In-app or email reports with advice to improve or maintain a healthy environment.

Dimensions

19x19cm and 3.5-4.5cm height, depending on mount



4G SIMLINK

Smart Sensor

4G SIM card installed

Supplying ease in set-up and signal reliability using NB-IoT.

Real-time detection & alerts:

Vaping, THC, Spice, loud noise, and over-occupancy, with alerts via SMS, email, mobile app, or web—delivered within seconds.

Fast Installation

Install in minutes with a slide-to-lock mount.

Connectivity

Add to your account via the desktop (PC & MacOS) app and set up in-app - iOS & Android. Step-by-step video training provided online and support from our UK based team.

Direct Power

Each sensor is provided with a 2-pin terminal block connector (and mains plug). Great for linking with existing power when installing. Low-voltage DC power input (supports 18-24 AWG wire).

On-going Costs

A monthly fee applies per sensor to cover cellular data usage (SIM) for transmitting readings to the Vape Guardian system and for receiving alerts.

Dimensions

14.5x14.5cm and 3.5-4.0cm in height, depending on mount.



Privacy first | Encrypted Alerts | Nothing recorded | No Audio or Video

WiFi

Smart Sensor

2.4GhZ Wifi

Perfect for reliable, long-range connectivity on existing networks.

Fast Installation

Install in minutes with a slide-to-lock mount.

Connectivity

Add to your account via the desktop (PC & MacOS) app and set up in-app - iOS & Android. Step-by-step video training provided online and support from our UK based team.

Direct Power

Each sensor is provided with a 2-pin terminal block connector (and mains plug). Great for linking with existing power when installing. Low-voltage DC power input (supports 18-24 AWG wire).

Real-time detection & alerts

Vaping, THC, Spice, loud noise, and over-occupancy, with alerts via SMS, email, mobile app, or web—delivered within seconds.



Privacy first | Encrypted Alerts | Nothing recorded | No Audio or Video

Power

Wi-Fi and 4G models are powered via the included mains power block (plug supplied). The PoE model draws power over Ethernet (802.3af) for a single-cable install, with an optional 12 V mains backup for resilience.

Connectivity

Choose the connectivity that fits your site: Wi-Fi for quick drop-ins, 4G for locations without network access, or PoE for single-cable power and data (ideal for switch-side UPS resilience). Full connectivity specifications are provided in the datasheet.

Hardware

Mount the ceiling bracket with two screws, then slide the device onto the bracket until it clicks securely into place. The unit sits flush to the surface with all cabling concealed - no visible wires, clean finish.

Training & Support

Setup and training are available online with step-by-step video guides. Our UK support team is always on hand, and we can connect you with a trusted nationwide network of installers across the UK.

A photograph of a technician with a beard, wearing a grey t-shirt and red overalls, standing on a ladder and installing a white circular device on a white grid ceiling. The technician is using a screwdriver to secure the device. The background shows a modern office interior with white walls and a window.

Simple Installation



Vape Guardian



THE SUNDAY TIMES

cna

itv

Daily Mail

BBC

The Telegraph

msn

THE Sun

LBC

THE SPECTATOR

yahoo! news

the business magazine

Teaching Times

BBC Morning Live

stv

DAILY EXPRESS

edcentral

SMF Systems Ltd. Trading as Vape Guardian
Reg Address. 7 Hedge End Business Centre. Southampton. SO302AU. UK
Company No. 14204902
vapeguardian.com | enquiries@vapeguardian.com